



Single Use / Reusable

Bi Polar Forceps & Cables

Single Use / Reusable

Mono Polar Forceps & Cables Adaptors Quivers™



☎ AU 1300 244 473

☎ NZ 0800 424 769

📍 46 Albert Street Preston VIC 3072 Australia

🌐 www.biggreen.com.au

✉ customerservice@biggreen.com.au

contents

Single Use Bi Polar Forceps	3
Single Use Bi Polar Forceps with Pre-attached Cable	4
Standard Reusable Bi Polar Forceps	5
Bayonet Reusable Bi Polar Forceps	6
Non-Stick Reusable Bi Polar Forceps	7
Standard Reusable Mono Polar Forceps	8
Bi Polar Cables	9
Mono Polar Cables	10
Reusable Adaptors	11
Screw Based Quivers SQUIVER™	12

Single Use Bi Polar Forceps



Micro Jewellers
A210 - 140 - 05



Adson (smooth) Adson (serrated)
A210 - 200 - 10 A210 - 200 - 10SR





Cushing Straight
A210 - 230 - 10



Jansen Bayonet
A210 - 370 - 10


Code	Description	Tip Size	Tip Style	Length
A210-140-05	Micro Jewellers	0.5mm	Smooth	115mm
A210-200-10	Adson	1.0mm	Smooth	120mm
A210-200-10SR	Adson	1.0mm	Serrated	120mm
A210-230-10	Cushing Straight	1.0mm	Smooth	150mm
A210-370-10	Jansen Bayonet	1.0mm	Smooth	200mm




Single Use Bi Polar Forceps with Pre-attached Cable



AMA410-370-10
Jansen Bayonet Bi Polar Forcep with Cable
Single Use



AMA410-140-05
Jewellers Bi Polar Forcep with Cable
Single Use



AMA410-200-10SR
Adson Bi Polar Forcep with Cable
Single Use

Product Code	Description	Tip Size	Tip Style	Length	Cable Length
A410-140-05	Micro Jewellers Bi Polar Forceps	0.5mm	Smooth	115mm	3mtrs
A410-200-10	Adson Smooth Bi Polar Forceps	1.0mm	Smooth	120mm	3mtrs
A410-200-10SR	Adson Serrated Bi Polar Forceps	1.0mm	Serrated	120mm	3mtrs
A410-230-10	Cushing Straight Bi Polar Forceps	1.0mm	Smooth	170mm	3mtrs
A410-370-10	Jansen Bayonet Bi Polar Forceps	1.0mm	Smooth	200mm	3mtrs

Standard Reusable Bi Polar Forceps



McPherson Angled
701 - 100A



Micro Jewellers
701 - 115S



Adson
701 - 150BIA



Semken
701 - 150BI



Cushing
701 - 175BI



Potts-Smith
701 - 200BI

Code	Description	Tip Size	Tip Style	Length
701-100A	McPherson Angled	0.5mm	Smooth	100mm
701-115S	Jewellers Straight	0.5mm	Smooth	115mm
701-115A	Jewellers Angled	0.5mm	Smooth	115mm
701-150BIA	Adson	0.5 or 1.0mm	Smooth	120mm
701-150BIA/SR	Adson	0.5 or 1.0mm	Serrated	120mm
701-150BI	Semken	0.5 ,1.0 or 1.5mm	Smooth	150mm
701-175BI	Cushing	0.5 ,1.0 or 1.5mm	Smooth	175mm
701-200BI	Potts-Smith	0.5 ,1.0 or 1.5mm	Smooth	200mm

Bayonet Reusable Bi Polar Forceps



Bayonet Straight

701 - 175BS




Bayonet Angled

701 - 175BA




Bayonet Straight

701 - 200BS



Bayonet Angled

701 - 200BA



Bayonet Irrigating

701 - 200BS/IR

Code	Description	Tip Size	Tip Style	Length
701-175BS	Bayonet Straight	0.5, 1.0, 1.5mm	Smooth	175mm
701-175BA	Bayonet Angled	0.5, 1.0, 1.5mm	Smooth	175mm
701-200BS	Bayonet Straight	0.5, 1.0, 1.5mm	Smooth	200mm
701-200BA	Bayonet Angled	0.5, 1.0, 1.5mm	Smooth	200mm
701-200BS/IR	Bayonet Irrigating	1.0mm	Smooth	200mm

Non-Stick Reusable Bi Polar Forceps



Micro Jewellers
701 - 115S / NS



Adson
701 - 150BIA / NS



Cushing Straight
701 - 150BI / NS



Jansen Bayonet
701 - 200BS / NS

Non-Stick Bi Polar Forceps

- Significant reduction of tissue adhesion to tips
- Reduced tissue trauma
- Highly conductive tip greatly reduces heat


Our **Non-Stick** range of bi polar forceps offers significant advantages over standard forceps when used in coagulation procedures. The adhesion of "coagulated" tissue to the tips is substantially reduced due to the heat dispersion properties of the unique metal alloy tipped forceps; this alloy is the best heat conducting material available and the only material which is bio-compatible.

Code	Description	Tip Size	Tip Style	Length
701-115S/NS	Micro Jewellers	0.5mm	Smooth	115mm
701-150BIA/NS	Adson	1.0mm	Smooth	120mm
701-150BI/NS	Cushing Straight	1.0mm	Smooth	150mm
701-200BS/NS	Jansen Bayonet	1.0mm	Smooth	200mm

Standard Reusable Mono Polar Forceps



Adson
700 - 140AP



Potts-Smith
700 - 150ST



Potts-Smith
700 - 175ST



Potts-Smith
700 - 200ST



Bayonet Straight
700 - 200BS



Bayonet Angled
700 - 200BA

Note:

Available Terminals

- 5/32 screw
- 2.4mm Female pin
- 4mm Banana plug

Code	Description	Tip Size	Tip Style	Length
700-140AP	Adson	0.5, 1.0 mm	Serrated	120 mm
700-150ST	Potts-Smith	0.5 ,1.0, 1.5 mm	Serrated	150 mm
700-175ST	Potts-Smith	0.5 ,1.0, 1.5 mm	Serrated	175 mm
700-200ST	Potts-Smith	0.5 ,1.0, 1.5 mm	Serrated	200 mm
700-200BS	Bayonet - Straight	0.5 ,1.0, 1.5 mm	Serrated	200 mm
700-200BA	Bayonet - Angled	0.5 ,1.0, 1.5 mm	Serrated	200 mm



Reusable

V-16

- Round instrument plug
- 3 metres
- Silicone construction
- To suit twin pin forceps



Reusable

SW46200A

- Angled instrument plug
- 3 metres
- Silicone construction
- To suit twin pin forceps



Single use

SW46211

- Angled instrument plug
- 3 metres
- To suit twin pin forceps
- Individually packed in Steri-peel pouches. (box of 100)

Mono Polar Cables



Reusable

900-02MJ / 900 - 03P

- 2.4mm pin to 8mm machine plug
- Reusable
- 3 metres



Reusable

900-02MJ / 900 - 05SF

- 4mm socket to 8mm machine plug
- Reusable
- 3 metres



Reusable

900-02MJ / 900 - 06ST

- 5/32 screw fitting to 8mm machine plug
- Reusable
- 3 metres



Single use

SW47311

- 4mm socket to 8mm machine plug
- Single use
- 3 metres
- Individually packed in steri-peel pouches (box of 100)

Machine Active Plug Adaptor

To suit all 4 mm banana plugs.



900-01-LJA

Machine Active Plug Adaptor

To take hand-switching pens to foot-switching



900-01-HS/FS

Bi-Polar Machine Adaptors

To suit CONMED Generators



ALI-BPA-32

To suit ERBE Generators



ALI-BPA-22

Screw Based Quivers SQUIVER™



Screw off base enables easy cleaning

- Autoclaveable - standard steam
- Belled top for easy entry
- Screw base will not fall or drop off whilst in use
- Custom made for telescopes or extra long laparoscopic probes
- Spare caps and stainless steel rings are available

Sizes available:

Code	Dimensions
DQS1.5	150mm
DQS2	200mm
DQS2.5	250mm
DQS3	300mm
DQS3.5	350mm
DQS4	400mm